

GetBillToLocationByNumber (GET)

Overview

This GET API can be used to retrieve Bill to Location details in SMART by GEP to post them into ERP.

URL Format: <https://<Instance>.gep.com/SmartInterfaceAPI/api/BillToLocation/Number>

Request

https://<Instance>.gep.com/SmartInterfaceAPI/api/BillToLocation/Number?BillToLocationNumber=BillToLocNum_12

Response

```
{
  "data": [
    {
      "billToLocationName": "String",
      "billToLocationNumber": "String",
      "addressLine1": "String",
      "addressLine2": "String",
      "addressLine3": "String",
      "city": "String",
      "stateCode": "String",
      "zip": "String",
      "countryCode": "String",
      "isDeleted": false,
      "isDefault": true,
      "stateOther": "String",
      "lobEntityCode": " String",
      "lstOrgEntity": [
```

```

    {
      "entityCode": "String",
      "isDefault": true,
      "entityType": " String",
      "lobEntityCode": " String"
    }
  ]
}
],
"statusCode": " String ",
"errorDetails": [
  {
    "key": "string",
    "errors": [
      {
        "errorCode": "string",
        "errorDescription": "string"
      }
    ]
  }
],
"successDetails": [
  {
    "key": "String"
  }
]
}

```

Data Elements

Get BillToLocation By Number				
Property	Required?	Data type	Description	Validations/Exceptions
Data		BillToLocation object		
StatusCode		String		

ErrorDetails		List of ErrorModel object		
SuccessDetails		List of SuccessModel object		

Data				
Property	Required?	Data type	Description	Validations/Exceptions
BillToLocationName		String(100)	Name of this Bill To Location	
BillToLocationNumber		String(100)	Number of this Bill To Location	
AddressLine1		String(500)	Address line 1 of the entity	
AddressLine2		String(100)	Address line 2 of the entity	
AddressLine3		String(100)	Address line 3 of the entity	
City		String(50)	City of the entity	
StateCode		String(10)	State code of the entity	
Zip		String(10)	Zip code of the entity	
CountryCode		String(2)	Country code of the entity	
IsDeleted		Boolean	A flag used to denote if the Bill To Location is the default Bill To Location or not	
IsDefault		Boolean	A flag used to denote if the Ship To Location is soft deleted or not	
StateOther		String	State which is different from the list of states provided	
LobEntityCode		String(100)	Line of Business Code for BillToLocation	
LstOrgEntity		List of OrgEntity object	Check data type OrgEntity for details	

LstOrgEntity				
Property	Required?	Data type	Description	Validations/Exceptions
EntityCode		String(100)	Entity Code of the entity	
IsDefault		Boolean	A flag used to denote if entity is the default or not	
EntityType		String(100)	Entity Type of the entity	
LobEntityCode		String(100)	Lob Entity Code of the entity	

ErrorDetails				
Property	Required?	Data type	Description	Validations/Exceptions
Key		String		
Errors		List of Errors		

Errors				
Property	Required?	Data type	Description	Validations/Exceptions
ErrorCode		String		
ErrorDescription		String		

SuccessDetails				
Property	Required?	Data type	Description	Validations / Exceptions
Key		String		

Examples

Success Scenario - Request

https://<Instance>.gep.com/SmartInterfaceAPI/api/BillToLocation/Number?BillToLocationNumber= BillToLocNum_12

Success Scenario – Response

```
{
  "data": {
    "billToLocationName": "billToLocationName44",
    "billToLocationNumber": "BillToLocNum_12",
    "addressLine1": "REMARKABLES PARK",
    "addressLine2": "",
    "addressLine3": "",
    "city": "QUEENSTOWN",
    "stateCode": "AK",
    "zip": "00443",
    "countryCode": "US",
    "isDeleted": false,
    "isDefault": false,
    "stateOther": "",
    "lobEntityCode": null,
  }
}
```

```
    "lstOrgEntity": null
  },
  "statusCode": "200",
  "errorDetails": [],
  "successDetails": [
    {
      "key": "BillToLocNum_12"
    }
  ]
}
```