

GetPartnerContactByContactCode (GET)

Overview

This GET API can be used to retrieve partner contacts by contact code details in SMART by GEP to post them into ERP.

URL Format: <https://<Instance>/SmartInterfaceAPI/api/Partner/PartnerContactByContactCode>

Request

<https://<Instance>/SmartInterfaceAPI/api/Partner/PartnerContactByContactCode?ClientPartnerCode= PC-2014.0000054&ClientContactCode=1895730040000001>

Response

```
{
  "data": [
    {
      "userName": "string",
      "gepContactCode": 0,
      "contactCode": "string",
      "partnerCode": "string",
      "isUpdated": true,
      "address": {
        "addressLine1": "string",
        "addressLine2": "string",
        "addressLine3": "string",
        "city": "string",
        "stateCode": "string",
        "stateOther": "string",
        "countryCode": "string",
```

```
"zipCode": "string",
"faxNo": "string",
"phoneNo": "string",
"phoneOther": "string",
"phoneExtension": "string",
"phoneOtherExtension": "string",
"county": "string",
"poBoxNumber": "string"
},
"firstName": "string",
"lastName": "string",
"emailAddress": "string",
"timeZone": "string",
"locations": [
  {
    "gepLocationCode": 0,
    "locationCode": "string",
    "locationName": "string",
    "isUpdated": true,
    "address": {
      "addressLine1": "string",
      "addressLine2": "string",
      "addressLine3": "string",
      "city": "string",
      "stateCode": "string",
      "stateOther": "string",
      "countryCode": "string",
      "zipCode": "string",
      "faxNo": "string",
      "phoneNo": "string",
      "phoneOther": "string",
      "phoneExtension": "string",
      "phoneOtherExtension": "string",
      "county": "string",
```

```
    "poBoxNumber": "string"
  },
  "isDeleted": true,
  "locationType": [
    "None"
  ],
  "locationTypes": [
    "string"
  ],
  "partnerContact": [
    null
  ],
  "engagementModel": [
    {
      "entityCode": "string",
      "entityType": "string",
      "engagementType": [
        "string"
      ],
      "lobEntityCode": "string",
      "locationType": "string",
      "status": "string",
      "isDelete": true
    }
  ],
  "sourceSystemDetails": [
    {
      "name": "string",
      "value": "string"
    }
  ],
  "otherIdentificationTypes": [
    {
```

```
    "identificationType": "NONE",
    "identificationNumber": "string"
  },
],
"linkedLocationDetails": [
  {
    "linkedGEPLocationID": 0,
    "sourceSystemDetails": [
      {
        "name": "string",
        "value": "string"
      }
    ],
    "gepLocationID": 0,
    "locationCode": "string",
    "isDeleted": true
  }
],
"bankingStatus": "string",
"paymentMethod": "string",
"contactRole": [
  "string"
],
"isDefault": true,
"bankingInfo": [
  {
    "bankName": "string",
    "beneficiaryName": "string",
    "bankBranch": "string",
    "country": "string",
    "bankAccountNumber": "string",
    "swift_BIC": "string",
    "iban": "string",
    "bankKey_ABA": "string",
```

```
    "chipUid": "string",
    "accountTypeName": "string",
    "paymentMethodName": "string",
    "isDeleted": true,
    "fikCode": "string",
    "factoringCompanyName": "string",
    "factoringCompanyCVR": "string",
    "comments": "string"
  }
],
"gepPartnerCode": 0,
"partnerCode": "string",

"paymentTerms": [
  {
    "paymentTermName": "string",
    "isDefault": true,
    "paymentTermCode": "string",
    "orgEntities": [
      {
        "entityCode": "string",
        "isDefault": true,
        "entityType": "string",
        "lobEntityCode": "string"
      }
    ],
    "lobEntityCode": "string",
    "locationType": "string",
    "status": "string",
    "isDelete": true
  }
],
"partnerLocationCurrencyList": [
```

```
        "string"
      ],
      "shippingDetails": [
        {
          "lobEntityCode": "string",
          "fobCode": "string",
          "fobDescription": "string",
          "locationCode": "string",
          "locationDescription": "string",
          "orgEntities": [
            {
              "entityCode": "string",
              "isDefault": true,
              "entityType": "string",
              "lobEntityCode": "string"
            }
          ],
          "contactRoleMapping": [
            {
              "contactCode": "string",
              "contactEmailAddress": "string",
              "contactRole": [
                "string"
              ]
            }
          ]
        }
      ],
      "isPrimary": true,
      "isActive": true,
      "isDeleted": true,
      "userActivities": [
        {
```

```
        "activityName": "NONE"
    }
],
"sourceSystemDetails": [
    {
        "name": "string",
        "value": "string"
    }
],
"cultureCode": "string",
"contactTrackingTypeName": [
    "string"
],
    "defaultRole": "string",
    "designation": "string",
    "categories": [
        {
            "pasCode": 0,
            "isDefault": true,
            "clientPasCode": "string",
            "isDeleted": true
        }
    ],
    "regions": [
        "string"
    ]
],
"statusCode": " String ",
"errorDetails": [
    {
        "key": "string",
        "errors": [
            {
```

```

        "errorCode": "string",
        "errorDescription": "string"
    }
]
},
"successDetails": [
    {
        "key": "String"
    }
]
}

```

Data Elements

Get Partner Contacts by Contact Code				
Property	Required?	Data type	Description	Validations / Exceptions
Data		List of partnercontact object		
StatusCode		String(100)		
ErrorDetails		List of Errordetails object		
SuccessDetails		List of Successdetails object		

Data				
Property	Required?	Data type	Description	Validations / Exceptions
SourceSystemDetails		List of SourceSystemDetails object	Source details of system	
UserActivities		List of Activity object	Activities of user	
IsDeleted		Boolean	Is deleted	
IsActive		Boolean	Is active	
IsPrimary		Boolean	Is primary	
Locations		List of Location object	List locations	
TimeZone		String	Time zone	
EmailAddress		String	Email address	
LastName		String	Last name	
FirstName		String	First name	

Address		List of Address object		
PartnerCode		String	Code of partner	
ContactCode		String	Code of contact	
GEPContactCode		Int	Gep contact code	
UserName		String	Username	
CultureCode		String	Code of culture	
ContactTrackingTypeName		List of String	List of contracttracking type names	

SourceSystemDetails				
Property	Required?	Data type	Description	Validations / Exceptions
Name		String	Name of source system details	
Value		String	Value of source system details	

UserActivities				
Property	Required?	Data type	Description	Validations / Exceptions
ActivityName		Long	ENUM	

Locations				
Property	Required?	Data type	Description	Validations / Exceptions
ContactRole		List of String	Role of contact	
PaymentMethod		String	Method of payment	
BankingStatus		String	Banking status	
LinkedLocationDetails		List of LinkedLocationDetails object	List of linked location details	
OtherIdentificationTypes		List of OtherIdentificationType object	List of other identification types	
SourceSystemDetails		List of SourceSystemDetails object		
EngagementModel		List of EngagementEntityDetail object	List of engagement model	
PartnerContact		List of PartnerContact object	List partner contact	
LocationTypes		List of String		
LocationType		LocationType Enum	Type of locations	
IsDeleted		Boolean	Is deleted	
Address		Address object		
LocationName		String	Name of location	
LocationCode		String	Code of location	
GEPLocationCode		Long	Gep location code	
IsDefault		Boolean	Is default	
BankingInfo		List of PartnerBankingInformations object	List of banking info	

PaymentTerm		List of PaymentTerm object	Payment Term	
ShippingDetails		List of ShippingDetails object	Check Data Type ShippingDetails for details	
ContactRoleMapping		List of Contact role mapping object	Check contact role mapping details	
defaultRole		String	Default role field	
designation		String	Designation field	
categories		List of categories object	Check categories details	
regions		List of regions object	Check regions details	

LinkedLocationDetails				
Property	Required?	Data type	Description	Validations / Exceptions
LinkedGEPLocationID		Long	Linked gep location id	
SourceSystemDetails		List of SourceSystemDetails object		
GEPLocationID		Long	Gep location id	
LocationCode		String	Location code	
isDeleted		Boolean	Is deleted	

OtherIdentificationType				
Property	Required?	Data type	Description	Validations / Exceptions
IdentificationType		IdentificationType Enum	Identification Type	
IdentificationNumber		String	IdentificationNumber	

EngagementModel				
Property	Required?	Data type	Description	Validations / Exceptions
EntityCode		String	Entity code	
EntityType		String	Entity Type	
EngagementType		List of String	Engagement Type	
LobEntityCode		String	Lob (line of business) Entity Code	
LocationType		String	EntityCode location type	
Status		String	Entity Code Status	
isDelete		bool	Visibility of entity code	

PartnerContact				
Property	Required?	Data type	Description	Validations / Exceptions
SourceSystemDetails		List of SourceSystemDetails object		
UserActivities		List of Activity object		
IsDeleted		Bool	User activates	
IsActive		Bool	Is deleted	
IsPrimary		Bool	Is primary	
Locations		List of Location object		
TimeZone		String	Time zone	
EmailAddress		String	Email address	
LastName		String	Last name	
FirstName		String	First name	
Address		Address Object	Address	
PartnerCode		String	Partner code	
ContactCode		String	Contact code	
GEPContactCode		Long	Gep contact code	
UserName		String	User name	
CultureCode		String	Culture code	
ContactTrackingTypeName		List of String	List of Contact Tracking Type Names	

Address				
Property	Required?	Data type	Description	Validations / Exceptions
AddressLine1		String (500)	Address Line 1	
AddressLine2		String (500)	Address Line 2	
AddressLine3		String (100)	Address Line 3	
City		String (50)	city	
StateCode		String (10)	State code	
StateOther		String (50)	State other	
CountryCode		String (2)	Country code	
ZipCode		String (10)	Zip code	
FaxNo		String (20)	Fax no	
PhoneNo		String (50)	Phone no	
PhoneOther		String (20)	Otherphone no	
PhoneExtension		String (10)	Extension of phone	
PhoneOtherExtension		String (10)	Extension of otherphone no	
poBoxNumber		String	Post box number	
County		String (50)	Country	

BankingInfo				
Property	Required?	Data type	Description	Validations / Exceptions
FactoringCompanyName		String	Factoring Company Name	
FIKCode		String	FIK Code	
IsDeleted		Boolean	Is Deleted	
PaymentMethodName		String	Payment Method Name	
AccountTypeName		String	Account Type Name	
ChipUid		String	uid of chip	
FactoringCompanyCVR		String	Factoring Company CVR	
BankKeyABA		String	Bank Key ABA	
Swift_BIC		String	Swift BIC	
BankAccountNumber		String	Bank Account Number	
Country		String	Country	
BankBranch		String	Branch of bank	
BeneficiaryName		String	Name of Beneficiary	
BankName		String	Name of bank	
IBAN		String	IBAN	
Comments		String	Comments	

PaymentTerm				
Property	Required?	Data type	Description	Validations / Exceptions
PaymentTermName		String	Payment Term Name	
IsDefault		Bool	Is Default	
PaymentTermCode		String	Payment Term Code	
OrgEntity		List of OrgEntities object	Organization Entities	

OrgEntity				
Property	Required?	Data type	Description	Validations / Exceptions
EntityCode		String	Entity Code of entity	<ul style="list-style-type: none"> Invalid Entity Code
IsDefault		Boolean	Status of the entity if this is default or not	
EntityType		String	Entity Type of entity	
LOBEntityCode		String	LOB Entity Code of entity	

shippingDetails				
Property	Required?	Data type	Description	Validations / Exceptions
lobEntityCode		String	lobEntityCode string field	
fobCode		String	fobCode is string field	
fobDescription		String	fobDescription is string field	
locationCode		String	locationCode is string field	
locationDescription		String	locationDescription is string field	
orgEntities		List of OrgEntities object	Organization Entities	

orgEntities				
Property	Required?	Data type	Description	Validations / Exceptions
isDefault		Boolean	Is Default	
entityType		String	entityType is string field	
lobEntityCode		String	lobEntityCode is string field	

ErrorDetails				
Property	Required?	Data type	Description	Validations / Exceptions
Key		String	Key of error	
Errors		List of Errors object	List of errors	

Errors				
Property	Required?	Data type	Description	Validations / Exceptions
ErrorCode		String	Code of error	
ErrorDescription		String	Description of error	

SuccessDetails				
Property	Required?	Data type	Description	Validations / Exceptions
Key		String (100)	Key of success	

Examples

Success Scenario – Request

<https://<Instance>/SmartInterfaceAPI/api/Partner/PartnerContactByContactCode?ClientPartnerCode= PC-2014.0000054&ClientContactCode=1895730040000001>

Success Scenario – Response

```
{
  "data": {
    "userName": null,
    "gepContactCode": 0,
    "contactCode": "CC-2019.012735",
    "partnerCode": null,
    "address": {
      "addressLine1": null,
      "addressLine2": null,
      "addressLine3": null,
      "city": "",
      "stateCode": null,
      "stateOther": null,
      "countryCode": null,
      "zipCode": "",
      "faxNo": "",
      "phoneNo": "",
      "phoneOther": "",
      "phoneExtension": "",
      "phoneOtherExtension": "",
      "county": "",
      "poBoxNumber": ""
    },
    "firstName": "tyry",
    "lastName": "rytr",
    "emailAddress": "ac@gemo.com",
    "timeZone": "Mountain Standard Time",
    "locations": [],
    "isPrimary": true,
  }
}
```

```
    "isActive": false,  
    "isDeleted": false,  
    "userActivities": [],  
    "cultureCode": "en-US"  
  },  
  "statusCode": "200",  
  "errorDetails": [],  
  "successDetails": [  
    {  
      "key": "PC-2019.000623"  
    }  
  ]  
}
```